Version number 2

Revision: 15.10.2015

#### <sup>\*</sup> 1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Henecryl Aqua Streichlack
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

 $\cdot$  Application of the substance / the mixture <code>Lacquer</code>

#### $\cdot$ 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: HENELIT Lackfabrik
Ges.m.b.H.
Seebacherallee 42
A - 9500 Villach
1.4 Emergency telephone number: Emergency Phone (24 hours/day): +49 (0) 700 24112112 (HLM)

E-Mail: labor@henelit.at Tel. +43(04242)41026-0

**1.4 Emergency telephone number:** Emergency Phone (24 hours/day): +49 (0) 700 24112112 (HLM) Emergency Phone USA (24 hours/day): 011 49 (0) 700 24112112 (HLM) Austrian poison centre: +43 (0) 1406 4343

#### \* 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

#### <sup>6</sup> 3 Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

 $\cdot$  **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 111-76-2	2-butoxyethanol	2.5-<10%
EINECS: 203-905-0	🗙 Xn R20/21/22; 🗙 Xi R36/38	
Reg.nr.: 01-2119475108-36	🗘 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315;	
	Eye Irrit. 2, H319	
· Additional information: Fo	or the wording of the listed risk phrases refer to section 16.	

#### 4 First aid measures

#### $\cdot$ 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.

Printing date 15.10.2015

Version number 2

Revision: 15.10.2015

Trade name: Henecryl Aqua Streichlack

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### \* **5** Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### \* 6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### \* 7 Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Only store in heated receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.
- Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

### \* 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:	
111-76-2 2-butoxyethanol	
WEL Short-term value: 246 mg/m <sup>3</sup> , 50 ppm	
Long-term value: 123 mg/m <sup>3</sup> , 25 ppm	
Sk, BMGV	
· Ingredients with biological limit values:	
111-76-2 2-butoxyethanol	
	(Contd. on page 3)

(Contd. of page 1)

Printing date 15.10.2015

· Self-igniting:

Upper:

· Danger of explosion:

· Vapour pressure at 20 °C:

• Explosion limits: Lower:

· Density at 20 °C:

· Relative density

· Vapour density

· Evaporation rate

Version number 2

Revision: 15.10.2015

#### Trade name: Henecryl Aqua Streichlack

	(Contd. of page 2)
BMGV 240 mmol/mol creatinine	
Medium: urine	
Sampling time: post shift Parameter: butoxyacetic acid	
	lid during the making were used as basis.
· Additional information: The lists va	nu during the making were used as basis.
<ul> <li>8.2 Exposure controls</li> </ul>	
· Personal protective equipment:	
<ul> <li>General protective and hygienic me</li> <li>Respiratory protection: Not require</li> </ul>	easures: The usual precautionary measures are to be adhered to when handling chemicals. d.
· Protection of hands:	
	ion to the glove material can be given for the product/ the preparation/ the chemical mixture.
	eable and resistant to the product/ the substance/ the preparation.
	nsideration of the penetration times, rates of diffusion and the degradation
• Material of gloves	
	does not only depend on the material, but also on further marks of quality and varies from
	product is a preparation of several substances, the resistance of the glove material can not b
Penetration time of glove material	re to be checked prior to the application.
• Penetration time of glove material	found out by the manufacturer of the protective gloves and has to be observed.
• Eye protection: Goggles recommend	
Lyc protection. Goggies recommend	
9 Physical and chemical proper	
• 9.1 Information on basic physical a	nd chemical properties
<ul> <li>General Information</li> <li>Appearance:</li> </ul>	
Form:	Fluid
Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Vieifing noint/vieifing range.	Undetermined
Melting point/Melting range: Boiling point/Boiling range:	Undetermined.
Boiling point/Boiling range: • Flash point:	Undetermined. 100 °C Not applicable.
Boiling point/Boiling range:	100 °C
Boiling point/Boiling range: · Flash point:	100 °C Not applicable.
Boiling point/Boiling range: · Flash point: · Flammability (solid, gaseous):	100 °C         Not applicable.         Not applicable.

Product is not selfigniting.

1.072 g/cm3 (DIN 53217)

Not determined.

Not determined.

Not determined.

Not determined.

Not determined.

23 hPa

Product does not present an explosion hazard.

(Contd. on page 4)

Printing date 15.10.2015

Version number 2

Revision: 15.10.2015

#### Trade name: Henecryl Aqua Streichlack

		(Contd. of page 3
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20 °C:	38 s (DIN 53211/4)	
· Solvent content:		
Water:	69.7 %	
VOC (EC)	5.55 %	
Solids content (weight-%):	24.5 %	
• 9.2 Other information	No further relevant information available.	

#### \*10 Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### \*11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

### \*12 Ecological information

- · 12.1 Toxicity
- $\cdot$  Aquatic toxicity: No further relevant information available.
- $\cdot$  12.2 Persistence and degradability No further relevant information available.
- $\cdot$  12.3 Bioaccumulative potential No further relevant information available.
- $\cdot$  12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) : slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- $\cdot$  12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 5)

Printing date 15.10.2015

Version number 2

Revision: 15.10.2015

(Contd. of page 4)

**Trade name: Henecryl Aqua Streichlack** 

• 12.6 Other adverse effects No further relevant information available.

#### \*13 Disposal considerations

#### · 13.1 Waste treatment methods

#### · Recommendation

Smaller quantities can be disposed of with household waste.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### \*14 Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
<ul> <li>· 14.4 Packing group</li> <li>· ADR, IMDG, IATA</li> </ul>	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.	
· UN "Model Regulation":	Void

#### \*15 Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

Class | Share in % NK 5-<10

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### \*16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Printing date 15.10.2015

\_

Version number 2

Revision: 15.10.2015

# Trade name: Henecryl Aqua Streichlack

	(Contd. of page 5
Relevant	phrases
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
R20/21/22	2 Harmful by inhalation, in contact with skin and if swallowed.
R36/38	Irritating to eyes and skin.
Abbrevia	itions and acronyms:
	ment international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of
0	Goods by Rail)
	national Civil Aviation Organisation
	rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Good
by Road)	rnational Maritime Code for Dangerous Goods
	national Air Transport Association
	Ily Harmonised System of Classification and Labelling of Chemicals
	uropean Inventory of Existing Commercial Chemical Substances
ELINCS: Eu	uropean List of Notified Chemical Substances
	ical Abstracts Service (division of the American Chemical Society)
	ile Organic Compounds (USA, EU)
	tent, Bioaccumulative and Toxic
	Persistent and very Bioaccumulative
	4: Acute toxicity, Hazard Category 4 : Skin corrosion/irritation, Hazard Category 2
	Serious eye damage/eye irritation, Hazard Category 2
	ompared to the previous version altered.