

TECHNOLOGY IN MOTION



# MACO MULTI

TURN-ONLY AND T&T HARDWARE



Patented MACO „Safety Pin“ retention device  
for timber and PVC

SAFETY PIN  
RETENTION DEVICE



**MACO  
MULTI**



“Safety Pin” additionally secures all Turn-Only and T&T windows and all doors up to 180 kg sash weight against sashes possibly falling out. Cause may be mishandling or improper use. „Safety Pin“ is also available with an optional corrosion-resistant TRICOAT-plus coating



**Patented MACO “Safety Pin” retention device**

MACO  
MULTI



## Additional safety for windows and glazed door sashes



### Possible applications

- In nursery schools, schools, hospitals, residential care homes or office buildings
- Because safety is a basic need
- Retention device as protection against mishandling or improper use
- Everywhere people live, learn or work
- For all sash weights and sizes

**MACO  
MULTI**



## For timber and PVC

### Cause of failing:

- Uncontrolled closing of the unit caused by acts of nature
- Sash pushed up against the window reveal
- Hinge wear and tear
- Improper maintenance

### Sash catching security device

- The spring-loaded steel cables of the "Safety Pin" prevent the sash from falling out of the frame completely.
- Personal injuries are effectively prevented by this, "Safety Pin"

The hinge-sided "Safety Pin" retention device is integrated in the T&T central locking system. This can be used with the MACO MULTI-TREND and MACO MULTI-MATIC fittings ranges. „Safety Pin“ can be used with timber and PVC units.



#### MAYER & CO BESCHLÄGE GMBH

ALPENSTRASSE 173  
A-5020 SALZBURG  
TEL +43 (0)662 6196-0  
FAX +43 (0)662 6196-1449  
maco@maco.at  
www.maco.at

#### MACO DOOR & WINDOW HARDWARE(U.K.) LTD

EUROLINK INDUSTRIAL CENTRE  
CASTLE ROAD; SITTINGBOURNE  
KENT ME10 3LY  
TEL +44 (0)1795 433900  
FAX +44 (0)1795 433902  
enquiry@macouk.net  
www.macouk.net

Scan for more Info

